

SPORT-TRANSFER sp. z o.o. Jawornik 564 32-400 Myślenice Tel. +48 12 649 14 83 e-mail: biuro@ sport-transfer.com.pl

INSTRUCTIONS FOR ASSEMBLY AND USE OF SPORTS EQUIPMENT

Product: **PROFESSIONAL BASKETBALL BACKBOARD 105X180 CM – ACRYLIC GLASS** Code: 10 010 **TRAINING BASKETBALL BACKBOARD 90X120 CM – ACRYLIC GLASS** Code: 10 011

The basketball backboard meets the conditions of PN-EN 913-2019-3 and PN-EN 1270:2006 "Pitch Equipment – Basketball Equipment. Functional and Safety Requirements, Research Methods."

1. Product description

<u>10 010</u>

Made of 10 mm thick acrylic glass set on a metal frame with a hole-free system for fixing the panel to the main frame. Aluminium angle frame all around. Used in indoor facilities (gymnasiums, sports halls).

<u>10 011</u>

Made of 10 mm thick acrylic glass set on a metal frame with a hole-free system for fixing the panel to the main frame. Aluminium angle frame all around. Used in indoor facilities (gymnasiums, sports halls).

2. Purpose

The backboard is designed for indoor basketball.

3. Components


Number	Name of part / component	Quantity per product
1	Acrylic glass backboard	1
2	Backboard frame	1

4. Installation of the basketball backboard

- a) Install the backboard on a properly fixed basketball structure.
- b) The board is attached directly to the structure:

-105x180 cm with four M10 screws of a length adapted to the basketball structure and with a hardness class of min. 8.8 and M10 self-locking nuts through holes located in the backboard frame at 600x1,200 mm spacing.

- 90x120 cm with four M10 screws of a length adapted to the basketball structure and with a hardness class of min. 8.8 and M10 self-locking nuts through holes located in the backboard frame at 600x1,120 mm spacing.



Note: installation may only be carried out by adults authorised to work at heights using a scaffold.

5. Using the backboards

- a) The basketball backboard is designed to be installed in sports halls.
- b) Periodically check the fasteners of the backboard and the condition of the backboard material.
- c) Do not subject backboards to mechanical damage /such as cutting, notching, burning etc./.
- d) If cracks are found, stop using the backboard and contact the manufacturer immediately.

6. Transport, storage, maintenance, disposal

- a) The basketball backboard is supplied by the manufacturer in a cardboard box with the following dimensions: 185x110x8 cm, weight: 48 kg. article No. 10 010, 125x95x8 cm, weight: 30 kg. article No. 10 011
- b) The product is intended for permanent installation not for storage.
- c) To be wiped down with a cloth dampened with a mild cleaning agent by persons with the appropriate qualifications for working at heights.
- d) Depending on local requirements, the product may be intended for recycling or energy recovery after use.
- e) The product and its accessories must be properly disposed of at an appropriate local waste disposal/recycling facility.
- f) Correct disposal will help to prevent potential negative consequences for the environment and human health and promote the recycling of materials and resources.

7. Warranty

- a) The basketball backboard comes with a 24-month manufacturer's warranty.
- b) The warranty does not cover damage caused by improper use e.g. cutting, slashing, burning, etc.
- c) The warranty does not cover the use of the basketball backboards contrary to their intended use.

To provide additional protection for users, a cover for the bottom edge of the backboard should be used Article No. 10 116/180, 10 016/180, 10 116/120 or 10 016/120.